

Agricultural Products List 2012

ODDBALL ENGINEERING SOLUTIONS
BALLYBRAY, GARVAGH ROAD, DUNGANNON
CO.TYRONE BT703LS
Tel. 07712866361

www.oddballengineering.com



Description	Туре	Capacity	
	Small wall mounted galvanised drinker Complete with 48mm tubular surround c/w 1" release valve	5.5 Gal/24.5L L. 0.470m W. 0.500m D. 0.400m	
	Galvanised wall mounted 4ft wall mounted galv 6ft wall mounted galv 8ft wall mounted galv c/w 2" release valve	35 Gal/150 L 52 Gal/225 L 70Gal/315L W. 0.500m D. 0.400m	
	Stainless steel wall mounted 4ft wall mounted stainless 6ft wall mounted stainless 8ft wall mounted stainless c/w 2" release valve	35 Gal/150L 52 Gal/225 L 70Gal/300L W. 0.500m D. 0.400m	
	To add floor mounted legs to any wall mounted drinker		
Description	Туре	Capacity	

Your Requirements, Our Solutions



ĺ	l	engineering abrations
Galvanised steel tip-over 4ft tip-over galvanised steel drinker 6ft 6in tip-over galvanised steel drinker	35 Gal/157.5L 55 Gal/247.5L W. 0.500m D. 0.400m	
Stainless steel tip-over 4ft tip-over stainless steel 6ft 6in tip-over stainless steel	35 Gal/157.5L 55 Gal/247.5L W. 0.500m D. 0.400m	
To add floor mounted tipover legs to any wall mounted tip-over drinker		

Description	Туре	Length
	Polydrink Plus Push-type drinker with cast iron bowl - resin coat finish. 22mm flexible drain plug. Anti-spill rim.	

Page 15
Your Requirements, Our Solutions





Polydrink Double Plus

Push-type drinker with cast iron bowl - resin coat finish. 22mm flexible drain plug. Anti-spill rim.



Wall mounted Medicine Cabinet

Door with dry-wipe board and holders for prescriptions, syringes and small bottles. Help farmers comply with European sanitation requirements L. 0.6m

D. 0.52m

H. 0.8m